


JEMI

Simply Built to Last



Manual de despiece

Part list manual

Manuel des pièces

Teilehandbuch


Manual de peças

Manuale delle parti

GS 50

GS 50 3P

Tech Line



GS 50 / GS 50 3P

Índice

Index

Indice

ZONA
AREA
ZONE

Página

Page

Page

Seite

Página


Pagina

1. Cuerpo / Body / Corps / Körper / Corpo / Corpo.	3-4
2. Puerta / Door / Porte / Tür / Porta / Porta.	5
3. Distribuidor lavado aclarado / Wash and rinse distributor / Distributeur de lavage et rinçage / Verteiler waschen und spülen / Distribuidor de lavagem e enxágüe / Distributore per lavaggio e risciacquo.	6
4. Calderín / Boiler / Chaudière / Kessel / Caldeira / Caldaia.	7-8
5. Instalación eléctrica / Electrical installation / Installation électrique / Elektroinstallation / Instalação elétrica / Installazione elettrica.	9
6. Encimera mandos / Countertop controls / Comptoir commandes / Bedienelemente auf der Arbeitsplatte / Controles de bancada / Comandi da banco.	10
7. Dotación / Provision / Dotation / Ausstattung / Doação / Dotazione.	11
8. Bomba de desagüe / Water drainage pump / Pompe d'assèchement / Entwässerungspumpe / Bomba de drenagem / Bomba di desagüe. (Opcional)	12

GS 50 / GS 50 3P

1. Cuerpo

Body
Corps
Körper
Corpo
Corpo




Ref.	Descripción						Código		Cantidad
		Description	Description	Beschreibung	Descrição	Descrizione	Code	Codice	
1	Frontal inferior / Lower frontal cover / Avant inférieur.						PCURS011241		1
2	Fijación trasera cuerpo / Back fixation body / Fixation derrière du corp.						PCURS011242		2
3	Trasero / Back cover / Arrière.						PCURS011243		1
4	Anti salida agua / Anti water leak / Anti fuite d'eau.						PCURS010795		1
5	Suplemento guía tirante puerta común / Back fixation body / Fixation derrière du corp.						PCURS011103		2
6	Perfil esponjoso adhesivo / Adhesive spongy profile / Profil spongieux adhésif — 15 x 3 mm. (Metro lineal)						CINAC012733		-
7	Cámara presostática + Tuerca + Junta / Pressure chamber + Nut + Gasket / Chambre de pression + Écrou + Joint.						CINAC004015		1
8	Junta plana goma negra / Flat black rubber gasket / Joint plat en caoutchouc noir — 24,5 x 36 x 4.						CINAC002996		1
9	Tuerca cámara presostática gris / Gray pressure chamber nut / Écrou de chambre de pression gris— 3/4".						CINAC001247		1
10	Brida hierro / Iron flange / Bride de fer — Ø 9 mm.						CINAC002937		2
11	Metros de tubo azul PVC / Meters of blue PVC pipe / Mètres de tuyau PVC bleu.						CINAC000253		-
12	Pasacable tubo desagüe / Drain tube grommet / Passe-fil du tube de vidange — Ø 60 mm.						CINAC003170		1
13	Tornillo inox. / Stainless screw / Vis inox. — M-4 x 16 DIN - 966.						CINAC001017		6
14	Soporte angular unex. / Unex angle support / Support angulaire unex. — 1257.						CINAC002777		6
15	Guía tirante puerta / Door tensor guide / Guide de tirant de porte.						CINAC003812		2
16	Tornillo inox. / Stainless screw / Vis inox. — Poelier - M-4 x 12 mm.						CINAC001013		2
17	Tornillo Inox. allen / Stainless screw allen / Vis inox allen — M-4 x 12 DIN - 912.						CINAC001109		4
18	Entrada detergente plástico / Plastic detergent inlet / Entrée de détergent en plastique.						CINAC004008		1
19	Brida cobre bulbo (2 taladros) / Copper bulb flange (2 drills) / Bride d'ampoule en cuivre (2 foret) — Ø 6 x 45 x 0,4.						PCURS001243		1
20	Rebosadero con rejilla / Overflow with grate / Trop-plein avec grille — L= 205 mm.						CINAC000647		1
21	Filtro plástico con taladro central / Plastic filter with central hole / Filtre en plastique avec trou central.						CINAC004060		1
22	Filtro metal redondo int. colector / Collector int. round metal filter / Filtre métallique rond int. du collecteur.						CIMP000167		1
23	Tapa cierre colector desagüe / Drain collector closing cover / Couvercle de fermeture du collecteur de vidange.						CINAC000165		1
24	Junta goma blanca colector / Collector white rubber gasket / Joint caoutchouc blanc collecteur.						CINAC003013		1
25	Cuerpo colector desagüe / Drain collector body / Corps collecteur de vidange.						CINAC000169		1
26	Brida Inox. / Stainless flange / Bride Inox. — W4 40-60 Ø 9 mm.						CINAC002966		1
27	Codo goma motor-colector / Motor-collector / Corps collecteur de vidange — 42 x 35.						CINAC011689		1
28	Brida hierro / Iron flange / Bride de fer — W2 32-50 Ø 9 mm.						CINAC002952		1
29A	Resistencia cuba / Tank resistance / Résistance cuve — 2,6 KW 230 V. (GS-50)						CINAC001496		1
29B	Resistencia cuba / Tank resistance / Résistance cuve — 4,5 KW. (GS-50 3P)						CINAC001504		1
30	Junta tórica resistencia / Resistance O-ring / Résistance aux joint torique — 44 x 57 x 6,5.						CINAC003083		1
31	Brida resistencia cuba / Tank flange resistance / Bride de résistance cuve.						PCURS006817		1
32	Tuerca inox. grafilada / Stainless knurled nut. / Écrou inox. moleté — M-4 DIN - 6923.						CINAC001203		8
33	Arandela dentada inox. / Stainless lock washer / Rondelle dentée inox. — Ø 4 mm. DIN - 6798.						CINAC000893		6
34	Junta esponjosa / Spongy gasket / Joint spongieux — 165 x 20 x 1,5.						CINAC003109		1
35	Tapa protector motor negra / Black engine protection cover / Cache de protection moteur noir.						CINAC004035		1
36	Arandela inox. / Stainless washer / Rondelle inox. — Ø 5 mm. DIN - 9021.						CINAC000846		16
37	Tuerca inox. grafilada / Stainless knurled nut. / Écrou inox. moleté — M-5 DIN - 6923.						CINAC001204		29
38	Electroválvula / Electrovalve / Électrovanne.						CINAC001922		1
39	Soporte electroválvula / Electrovalve support / Électrovanne support.						PCURS006832		1
40	Taco regulador nivel / Level regulator plug / Bouchon régulateur de niveau — M-10 L=35 mm.						CINAC003643		4
41	Junta goma / Rubber gasket / Joint en caoutchouc — 1/2" 10 x 18 x 2.						CINAC002994		4
42	Arandela inox. / Stainless washer / Rondelle inox. — Ø 4 mm. DIN - 125.						CINAC000843		4
43	Tornillo Inox. / Stainless screw / Vis inox — M-4x8 DIN - 84.						CINAC001003		4
44	Soporte 2 termostatos / Support 2 thermostats / Support 2 thermostats.						PCURS006840		1
45	Termostato / Thermostat / Thermostat — 93°C.						CINAC001615		2
46	Dosificador peristáltico detergente / Detergent peristaltic dispenser / Distributeur péristaltique détergent NBR.						CINAC002571		(Opcional)
47	Dosificador peristáltico abrillantador / Peristaltic polish dispenser / Distributeur de vernis péristaltique.						CINAC010903		1
48	Soporte dosificadores peristálticos / Peristaltic dispenser support / Support de distributeur péristaltique.						PCURS011083		1
49	Ver 6. Encimera mandos / Search in 6. Countertop controls / Recherche dans 6. Comptoir commandes.						PÁG 9		-
50	Tapa inferior peana / Bottom cover of the stand / Couvercle inférieur du support.						PCURS011451		(Opcional)

GS 50 / GS 50 3P

2. Puerta

Door
Porte
Tür
Porta
Porta



Ref.	Descripción	Description					Código	Cantidad
		Description	Description	Beschreibung	Descrição	Descrizione	Code	
1	Puerta equipada / Equipped door / Porte équipée.						PCURS011244	1
2	Tirante puerta izquierdo / Left door handle / Tirant porte gauche.						PCURS001752	1
3	Tirante puerta derecho / Right door handle / Tirant porte droite.						PCURS001753	1
4	Varilla bisagra puerta / Door hinge rod / Tige charnière de porte.						PCURS010782	1
5	Soporte bisagra izquierda / Left hinge bracket / Support de charnière gauche.						PCURS010731	1
6	Soporte bisagra derecha / Right hinge bracket / Support de charnière droite.						PCURS010730	1
7	Cierre puerta bola delring / Delring ball door lock / Serrure à bille delring.						CINAC012750	1
8	Asa tirador puerta lavavasos / Door pull handle / Poignée de porte.						CINAC012602	1
9	Tuerca sujeción tirante puerta / Door brace fastening nut / Écrou de fixation du renfort de porte.						CINAC001181	2
10	Tornillo Inox. allen / Stainless screw allen / Vis inox allen — M-5 DIN - 7991.						CINAC001102	2
11	Tornillo Inox. / Stainless screw / Vis inox — M-5 DIN - 7991.						CINAC001002	2
12	Tuerca inox. / Stainless nut. / Écrou inox. — M-4x8 DIN - 934.						CINAC001206	4
13	Arandela dentada inox. / Stainless lock washer / Rondelle dentée inox. — Ø 3 mm. DIN - 6798.						CINAC000892	4
14	Arandela inox. / Stainless washer / Rondelle inox. — Ø 3 mm. DIN - 125.						CINAC000842	4

GS 50 / GS 50 3P

3. Distribuidor lavado aclarado


Wash and rinse distributor

Distributeur de lavage et rinçage

Verteiler waschen und spülen

Distribuidor de lavagem e enxágüe

Distributore per lavaggio e risciacquo




Ref.	Descripción	Description					Código		Cantidad
		Description	Description	Beschreibung	Descrição	Descrizione	Code	Codice	
1	Soporte brazo lav. acl. girat. sup. / Upper rotating wash rinse arm sup. / Support bras lav. rinç. supérieur rotatif						CINAC011462		1
2	Tuerca suj. sop. brazo lav. acl. gir. sup. / Upper rot. wash rinse sup. nut / Écrou sup. bras lav. rinç. — Ø E64,5 mm.						CINAC011646		1
3	Junta tórica dist. lav acl. sup. / Upper dist. washer rinse o-ring/ Joint torique rondelle rinç. sup. dist. — 53 x 4 mm.						CINAC011435		1
4	Arandela teflón brazo lav. gir. inf. sup. / Teflon washer rot. wash arm inf. sup. / Rondelle en téflon bras lav. sup. inf.						CINAC011470		2
5	Soporte brazo lav. acl. girat. inf. / Lower rotating wash rinse arm support / Support bras lav. rinç. inférieur rotatif.						CINAC011461		1
6	Junta tórica dist. lav acl. inf. / Lower dist. washer rinse o-ring / Joint torique rondelle rinç. inf. dist. — 60 x 4 mm.						CINAC011428		1
7	Tetilla roscada sop. br. lav. acl. gir. inf. / Threaded nozzle sup. wash arm rot. lower / Buse filetée sop. br. lav. rin. inf.						CINAC011465		1
8	Junta tórica dist. lav acl. inf. / Lower dist. washer rinse o-ring / Joint torique rondelle rinç. inf. dist. — 26 x 3 mm.						CINAC011427		1
9	Brazo lavado giratorio inf. sup. / Rotating lower upper wash arm / Bras lavage rotatif inférieur supérieur.						PCURS010813		2
10	Brazo aclarado giratorio inf. sup. / Rotating lower upper rinse arm / Bras rinçage rotatif inférieur supérieur.						PCURS010814		2
11	Manguito goma 90° te-dist. sup. / Rubber tube 90° t-dist. upp. / Tube caoutchouc 90° t-dist. sup. — Ø 25 mm.						CINAC011583		1
12	Codo goma 90° te-dist. inf. / Elbow tube 90° t-dist. low. / Coude caoutchouc 90° t-dist. inf. — Ø 28 mm.						CINAC011581		1
13	Manguito goma red. mot. t-dist. / Rubber tube red. mot. t-dist. / Tube caoutchouc red. mot. t-dist. — Ø 40-25 mm.						CINAC011582		1
14	Te distribuidor lavado brazo giratorio / T rotating arm washing distributor / T distributeur de lavage bras rotatif.						CINAC011602		1
15	Te enlace aclarado / T rinse link / T lien rinçage — TS-12-12-12.						CINAC000675		1
16	Tuerca inox. grafilada / Stainless knurled nut. / Écrou inox. moleté — M-6 DIN - 6923.						CINAC001205		4
17	Brida hierro / Iron flange / Bride de fer — W3 Ø 12 - Ø 22 mm.						CINAC002942		8
18	Brida hierro / Iron flange / Bride de fer — W2 Ø 25 - Ø 40 mm.						CINAC002949		5
19	Mt. tubo goma / Rubber tube in meters / Mètres à tubes en caoutchouc — Ø 20 x Ø 12 mm.						CINAC000347		-
20	Brazo aclarado giratorio inox. 50 / Stainless rotating rinse arm 50 / Bras rinçage rotatif inox. 50.						CINAC011439		2
21	Tornillo sujeción brazo aclarado / Rinse arm support screw / Vis de fixation du bras de rinçage.						CINAC011468		2
22	Casquillo teflón brazo aclarado / Rinsed arm teflon bushing / Bras rincé à douille en téflon.						CINAC011469		4
23	Anillo seguridad inox. / Stainless steel security ring / Anneau de sécurité en acier inox. — Ø 12 mm. DIN - 471.						CINAC007466		2
24	Brida hierro / Iron flange / Bride de fer — W2 Ø 32 - Ø 50 mm.						CINAC002952		1
25	Motobomba / Motor pump / Motopompe — 2-102 FA-15 280W 230V 50 Hz 1,4Amp.						CINAC011721		1

GS 50 / GS 50 3P

4. Calderín

Boiler
Chaudière
Kessel
Caldeira
Caldaia



Ref.	Descripción	Código	Cantidad
	Description Description Beschreibung Descrição Descrizione	Code Codice	Quantity
1	Calderín equipado sin resistencia / Boiler equipped without resistance / Chaudière équipée sans résistance.	PCURS000175	1
2	Brida cobre bulbo (2 taladros) / Copper bulb flange (2 drills) / Bride d'ampoule en cuivre (2 foret).	PCURS001243	1
3	Arandela inox. / Stainless washer / Rondelle inox. — Ø 5 mm. DIN - 125.	CINAC000844	6
4	Arandela dentada inox. / Stainless lock washer / Rondelle dentée inox. — Ø 5 mm. DIN - 6798.	CINAC000894	2
5	Tuerca inox. / Stainless nut. / Écrou inox. — M-5 DIN - 934.	CINAC001210	3
6	Junta tórica resistencia / Resistance O-ring / Résistance aux joint torique — 44 x 57 x 6,5.	CINAC003083	1
7A	Resistencia calderín / Boiler resistance / Résistance chaudière — 2750 W 240 V.	CINAC001493	1
7B	Resistencia calderín / Boiler resistance / Résistance chaudière — 4800 W 240 V.	CINAC001499	1
7C	Resistencia calderín / Boiler resistance / Résistance chaudière — 6000 W.	CINAC001507	1
8	Brida resistencia calderín / Boiler resistance bride / Bride résistance chaudière.	PCURS006818	1
9	Tuerca latón inox. / Brass stainless nut. / Écrou inox. laiton — M-5 DIN - 934.	CINAC001183	3
10	Pasacable plástico / Plastic grommet / Passe-fil en plastique — Ø 12 mm.	CINAC003174	1
11	Tuerca pasacable plástico / Plastic grommet nut / Écrou passe-fil en plastique.	CINAC001243	1
12	Tapa cubre bornes resistencia completa / Complete terminal cover cap / Couvercle couvre borne complet.	PCURS003934	1
13	Junta C.P. / C.P. Gasket / Joint C.P. — 1/2" 10 x 18 x 2 - CSA-50.	CINAC003025	1
14	Tornillo Inox. / Stainless screw / Vis inox — M-10 x 12 DIN - 933.	CINAC001084	1
15	Termostato Klixon / Klixon thermostat / Thermostat Klixon.	CINAC001619	1
16	Arandela dentada inox. / Stainless lock washer / Rondelle dentée inox. — Ø 3 mm. DIN - 6798.	CINAC000892	2
17	Tuerca latón inox. / Brass stainless nut. / Écrou inox. laiton — M-3 DIN - 934.	CINAC001182	4
18	Brida hierro / Iron flange / Bride de fer — Ø 9,5 - 10 mm.	CINAC002938	2
19	Mt. tubo malla / Meters of mesh tubing / mètres de tube en treillis — Ø 6 x 12 mm.	CINAC000269	-
20	Tetilla doble dosif. peristáltico / Double peristaltic dispenser nipple / Téton distributeur péristaltique double	PCURS001661	1
21A	Calderín equipado con resistencia / Boiler equipped with resistance / Chaudière équipée résistance. GS-50.	PCURS003822	1
21B	Calderín equipado + resistencia / Boiler equipped with resistance / Chaudière équipée résistance. GS-50 3P.	PCURS003823	1

GS 50 / GS 50 3P

4. Calderín abierto (PTCR) (Opcional)


Open boiler (PTCR) (Optional)

Chaudière ouverte (PTCR) (Facultatif)

Offener Kessel (PTCR) (Optional)

Caldeira aberta (PTCR) (Opcional)


Caldaia aprire (PTCR) (Opzionale)



Ref.	Descripción	Description Description Beschreibung Descrição Descrizione					Código		Cantidad
							Code	Codice	
1	Calderín equipado sin resistencia / Boiler equipped without resistance / Chaudière équipée sans résistance.						PCURS011151		1
2	Brida cobre bulbo (2 taladros) / Copper bulb flange (2 drills) / Bride d'ampoule en cuivre (2 foret).						PCURS001243		1
3	Tornillo inox. / Stainless screw / Vis inox. — M-10 x 12. DIN - 933.						CINAC001084		1
4	Junta C.P. / C.P. Joint / Joint C.P. — 10 x 18 x 2. 1/2". CSA-50.						CINAC003025		1
5	Junta tórica resistencia / Resistance O-ring / Résistance aux joint torique — 44 x 57 x 6,5.						CINAC003083		1
6A	Resistencia calderín / Boiler resistance / Résistance chaudière — 4500 W.						CINAC010503		1
6B	Resistencia calderín / Boiler resistance / Résistance chaudière — 6000 W.						CINAC001507		1
7	Brida resistencia calderín / Boiler resistance bride / Bride résistance chaudière.						PCURS006818		1
8	Pasacable plástico / Plastic grommet / Passe-fil en plastique — Ø 12 mm.						CINAC003174		1
9	Tuerca pasacable plástico / Plastic grommet nut / Écrou passe-fil en plastique.						CINAC001243		1
10	Tapa cubre bornes resistencia completa / Complete terminal cover cap / Couvercle couvre borne complet.						PCURS003934		1
11	Termostato Klixon / Klixon thermostat / Thermostat Klixon.						CINAC001619		1
12	Manguito goma / Rubber sleeve / Manchon de caoutchouc — Ø 25 L= 65 mm.						CINAC011948		1
13	Brida hierro / Iron flange / Bride de fer — W2 Ø 25 - Ø 40. 9 mm.						CINAC002949		2
14	Motor aclarado / Rinsed engine / Moteur rincé.						CIMP000223		1
15	Soporte bomba presión cristal / Glass pressure pump support / Support de pompe à pression en verre.						PCURS011089		1
16	Presostato simple / Simple pressure switch / Pressostat simple.						CINAC001621		1
17	Racord entrada agua / Water inlet fitting / Raccord d'arrivée d'eau — BRL-23.1.						CINAC000561		1
18	Machón inox. / Stainless male / Mâle en inox. — Ø 27 12 x 20.						CINAC000545		1
19	Junta C.P. / C.P. Joint / Joint C.P. — 21 x 27 x 2.						CINAC003035		1
20	Tuerca inox / Stainless nut / Écrou inox — 1/2" Ø 30 x 7.						CINAC001231		1
21	Junta goma. / Rubber gasket / Joint en caoutchouc — 10 x 18 x 2 mm - 1/2".						CINAC002994		1
22	Racord plastico curvo + Tuerca / Curved plastic fitting + Nut / Raccord plastique courbé + Ecrou. — 1/2".						CINAC000581		1
23	Brida hierro / Iron flange / Bride de fer — 9 mm.						CINAC002937		1
24	Brida hierro / Iron flange / Bride de fer — W3 Ø 12 - Ø 22. 9 mm.						CINAC002942		2
25	Brida hierro / Iron flange / Bride de fer — 9,5 - 10 mm.						CINAC002938		1
26	Metros manguera / Hose meters / Compteurs de tuyaux — 12 x 20 EPDM.						CINAC000347		-
27	Metros tubo PVC Azul / Blue PVC tube meters / Compteurs à tubes en PVC bleu — 5 x 9.						CINAC000253		-
28	Mt. tubo malla / Meters of mesh tubing / mètres de tube en treillis — Ø 6 x 12 mm.						CINAC000269		-
29	Tetilla doble dosif. peristáltico / Double peristaltic dispenser nipple / Téton distributeur péristaltique double						PCURS001661		1
30	Calderín equipado con resistencia / Boiler equipped with resistance / Chaudière équipée de résistance.						PCURS010840		1

5. Instalación eléctrica

Electrical installation
Installation électrique
Elektroinstallation
Instalação elétrica
Installazione elettrica




Ref.	Descripción	Código	Cantidad
	Description Description Beschreibung Descrição Descrizione	Code Codice	Quantity
1	Condensador motor / Motor capacitor / Condensateur du moteur.	CINAC001843	1 / 1
2	Condensador antiparasitario / Antiparasitic condenser / Condenseur antiparasitaire.	CINAC001846	1 / 0
3	Presostato simple / Simple pressure switch / Pressostat simple.	CINAC001621	1 / 1
4	Programador / Programer / Programmeur — 11804 (065).	CINAC001599	1 / 1
5	Tapa regleta / Power strip cover / Cache multiprise.	CINAC002789	1 / 1
6	Puente amarillo / Yellow bridge / Pont jaune.	CINAC002024	0 / 3
7	Regleta beige / Beige power strip / Multiprise beige — Conta-clip 4/2A.	CINAC002109	0 / 9
8	Regleta azul / Blue power strip / Multiprise bleu — Conta-clip 4/2A.	CINAC002112	0 / 1
9	Micro sensor puerta imán / Micro sensor door magnet / Aimant de porte à micro-capteur.	CINAC001954	1 / 0
10	Regleta tres polos / Three pole strip / Bande tripolaire.	CINAC002096	1 / 0
11	Tornillo polier / Polier screw / Vis polier — M-4 x 10 DIN-9330.	CINAC001013	2 / 0
12	Grapa fijación cable / Cable fixing clamp / Pince de fixation de câble.	CINAC002792	1 / 0
13	Condensador. antip. trif. cil. / Cyl. three-phase anti-interf. cap. / Cond. anti-parasitage triphasé cylindrique.	CINAC001848	0 / 1
14	Fusible cristal / Crystal fuse / Fusible en cristal — 5 x 20 mm.	CINAC002154	1 / 1
15	Pinza metálica / Metal clamp / Pince métallique — RELPOL.	CINAC002904	1 / 1
16	Relé / Relay / Relais — 230V.	CINAC002887	1 / 1
17	Tope fijación / Fixing stop / Arrêt de fixation.	CINAC002809	1 / 1
18	Regleta portafusible + fusible / Fuse box + fusible / Bande porte-fusible + fusible.	PCURS003928	1 / 1
19	Base relé / Relay base / Base relais.	CINAC002903	1 / 1
20A	Contactor / Contactor / Contacteur — GS-50.	CINAC001631	1 / 0
20B	Contactor / Contactor / Contacteur — GS-50 Tri.	CINAC001632	0 / 3
21	Lengüeta toma tierra / Ground tab / Onglet au sol.	PCURS001524	1 / 2
22A	Instalación eléctrica / Electrical installation / Installation électrique — GS-50.	CINAC011580	1 / 0
22B	Instalación eléctrica / Electrical installation / Installation électrique — GS-50 3P.	-	0 / 1
23A	Manguera entrada corriente / Power input hose / Tuyau d'arrivée — 2,5 x 3 mm. L=3,5 m — GS-50.	CINAC002408	1 / 0
23B	Manguera entrada corriente / Power input hose / Tuyau d'arrivée — 2,5 x 5 mm. L=3,5 m — GS-50 3P.	CINAC002403	0 / 1

GS 50 / GS 50 3P

6. Encimera mandos


Countertop controls
Comptoir commandes
Bedienelemente auf der Arbeitsplatte
Controles de bancada
Comandi da banco



Ref.	Descripción						Código		Cantidad
		Description	Description	Beschreibung	Descrição	Descrizione	Code	Codice	
1	Encimera soldada / Welded countertop / Comptoir soudé.						PCURS011245		1
2	Interruptor bipolar ON/OFF / Bipolar ON/OFF switch / Interrupteur marche/arrêt bipolaire.						CINAC001546		1
3	Pulsador bipolar / Bipolar push button / Bouton poussoir bipolaire.						CINAC001569		1 (2 BD)
4	Sop. pulsador base cuadrada gris / Grey base push button sup. / Sup. bouton poussoir base carrée grise.						CINAC012724		2 (3 BD)
5	Pulsador mando gris oscuro / Dark grey push button / Bouton poussoir grise foncé.						CINAC012726		1
6	Pulsador mando gris / Grey push button / Bouton poussoir grise.						CINAC012725		1 (2 BD)
7	Piloto led blanco roscado / White light / Lumière blanc.						CINAC012606		3 (4 BD)
8	Carátula mandos bajo mostrador / Controls cover / Couvercle des commandes.						CINAC012685		1
9	Termómetro digital / Digital Thermometer / Thermomètre numérique.						CINAC012682		1
10	Lengüeta toma tierra / Ground tab / Onglet au sol.						PCURS001524		1
11	Soporte lateral encimera / Countertop side support / Support latéral du comptoir.						PCURS011246		2
12	Arandela dentada inox. / Stainless lock washer / Rondelle dentée inox. — Ø 4 mm. DIN - 6798.						CINAC000893		6
13	Tornillo Inox. / Stainless screw / Vis inox — M-4 x 10 DIN-84.						CINAC001005		4
14	Tornillo polier / Polier screw / Vis polier — M-4 x 12.						CINAC001013		2
15	Tornillo Inox. / Stainless screw / Vis inox — M-4 x 8 DIN-84.						CINAC001003		2
16	Soporte trasero encimera / Countertop back support / Support arrière de comptoir.						PCURS011247		2
17	Tuerca inox. grafilada / Stainless knurled nut. / Écrou inox. moleté — M-4 DIN - 6923.						CINAC001203		1
18	Encimera mandos equipada / Countertop controls equipped / Comptoir commandes équipé.						PCURS011248		1
19	Encimera mandos BD equipada / Countertop controls BD equipped / Comptoir commandes BD équipé.						PCURS011249		1

7. Dotación


Provision
Dotation
Ausstattung
Doação
Dotazione



Ref.	Descripción	Description	Description	Beschreibung	Descrição	Descrizione	Código	Cantidad
							Code	Quantity
1	Cesta universal / Universal basket / Panier universel — 500 x 500 mm.						CIMP000194	1
2	Cesta platos / Dishes basket / Panier à plateaux — 500 x 500 mm.						CIMP000193	1
3	Cestillo cubiertos / Covered basket / Panier couvert — 105 x 105 x 145 mm.						CINAC003491	1
4	Junta plana goma / Rubber flat gasket / Joint plat en caoutchouc — 24 x 13 x 2 mm. ¾".						CINAC002987	1
5	Tubo goma entrada agua + junta / Water input hose + joint / Entrée d'eau tube en caoutchouc + joint — ¾".						CINAC000368	1
6	Goma desagüe recta / Straight drain rubber / Caoutchouc de vidange droit — Ø 28 L=1500 mm.						CINAC000295	1
7	Brida hierro / Iron bridle / Bride en fer — W2. 9 mm - Ø 25-40 mm.						CINAC002949	1

8. Bomba de desagüe

Water drainage pump
Pompe d'assèchement
Entwässerungspumpe
Bomba de drenagem
Bomba di desagüe



Ref.	Descripción	Código	Cantidad
	Description Description Beschreibung Descrição Descrizione	Code Codice	Quantity
1	Guía / Guide / Guider — 35 x 7,5 x 48 mm.	PCURS001517	1
2	Brida hierro / Iron Bridle / Bride en fer — Ø 25 - Ø 40 mm.	CINAC002949	1
3	Codo goma doble curva BD / Double curved rubber elbow BD / Coude caoutchouc double courbure.	CINAC000374	1
4	Brida hierro / Iron Bridle / Bride en fer — Ø 20 - Ø 32 mm.	CINAC002947	1
5	Bomba desagüe / Water drain pump / Pompe de vidange — 200 - 240 V.	CINAC002550	1
6	Soporte bomba desagüe / Water drainage pump support / Support de pompe d'assèchement.	PCURS011026	1
7	Arandela inox. / Stainless washer / Rondelle inox. — Ø 6 mm. DIN - 125.	CINAC000845	2
8	Arandela dentada inox. / Stainless lock washer / Rondelle dentée inox. — Ø 6 mm. DIN - 6798.	CINAC000895	2
9	Tornillo inox. / Stainless screw / Vis inox. — M-6 x 12 DIN-933.	CINAC001053	2
10	Pulsador bipolar / Bipolar push button / Bouton poussoir bipolaire.	CINAC001569	1
11	Sop. pulsador base cuadrada gris / Gray base push button sup. / Sup. bouton poussoir base carrée grise.	CINAC012724	1
12	Pulsador mando gris / Grey push button / Bouton poussoir grise.	CINAC012725	1
13	Piloto blanco / White light / Lumière blanc.	CINAC012606	1
14	Temporizador / Timer / Minuteur.	CINAC002907	1
15	Tubo goma desagüe / Drain water tube / Tuyau de vidange en caoutchouc — L=1500 mm.	CINAC000296	1
16	Cableado bomba desagüe / Drain pump wiring / Câblage de la pompe de vidange.	CINAC010512	1

NOTAS

Notes

Notes

Ammerkungen

Notas

Notes



Selva de Mar, 122-128
08020 Barcelona, Spain
Tel. 0034 93 308 31 54
Fax. 0034 93 303 38 73
jemi@jemi.es
www.jemi.es